

Institute of Chemical Engineering

Adres artykułu: <https://iich.gliwice.pl/en/article/impact-of-the-heat-capacity-of-adsorbed-phase-on-process-performance-in-the-capture-of-co2-from-flue-gas-using-pressure-swing-adsorption>

Impact of the heat capacity of adsorbed phase on process performance in the capture of CO₂ from flue gas using pressure swing adsorption

| | |
|-----------------------------|---|
| Publication date: | 29.12.2016 |
| Publication title: | Impact of the heat capacity of adsorbed phase on process performance in the capture of CO₂ from flue gas using pressure swing adsorption |
| Authors: | Marek Tańczyk , Manfred Jaschik , Krzysztof Warmuziński |
| Journal information: | Prace Naukowe Instytutu Inżynierii Chemicznej Polskiej Akademii Nauk |
| Tags: | pressure swing adsorption , carbon dioxide abatement , flue gas , specific heat of adsorbed phase , critical temperature |

Abstract: The present study aims at demonstrating how important it is to include the substantial increase in CO₂ heat capacity around the critical temperature in the modelling of relevant PSA separations. It is shown that this parameter may considerably alter simulation results, especially in the cases when the adsorbed phase concentration is high, regeneration pressure is moderate and CO₂ content in the enriched stream is large.

Attachments:

[Zeszyt-20-2016](#) pdf, 4.77 MB

| | |
|-----------------------------|------------------|
| Created at: | 04.08.2025 |
| Published by: | Artur Wojdyła |
| Published at: | 05.08.2025 08:19 |
| Number of downloads: | 439 |

Tagi: pressure swing adsorption, carbon dioxide abatement, flue gas, specific heat of adsorbed phase, critical temperature

Metryczka

| | |
|-------------------------|------------------|
| Published by: | Artur Wojdyła |
| Published at: | 18.09.2025 13:16 |
| Number of views: | 159 |