

# Institute of Chemical Engineering

Adres artykułu: <https://iich.gliwice.pl/en/article/investigation-on-binary-copper-based-catalysts-used-in-the-ethanol-steam-reforming-process-1>

## Investigation on binary copper-based catalysts used in the ethanol steam reforming process

<b>Publication date:</b>	15.07.2020
<b>Publication title:</b>	<a href="#">Investigation on binary copper-based catalysts used in the ethanol steam reforming process</a>
<b>Authors:</b>	<a href="#">Maria Kulawska</a> , <a href="#">Łukasz Hamryszak</a> , <a href="#">et al.</a>
<b>Journal information:</b>	<a href="#">Reaction Kinetics, Mechanisms and Catalysis</a>

The use of copper-based binary catalysts, Cu/Zr oxides and Cu/Al oxides, has been examined to produce hydrogen from ethanol in the ethanol steam reforming process. The examined catalysts were compared with non-noble bicomponent catalysts consisting of oxides of nickel and cobalt: Ni/Zr Co/Zr, Ni/Al and Co/Al, prepared and tested in the identical way. Catalytic tests were carried out in the fixed-bed reactor in the temperature range 433–873 K for initial molar ratio of ethanol to water equal to 1:3. Ethanol conversion approached near 100%. Catalysts were characterized by XRD, TPR. Cu/Zr oxides. The catalyst showed very good selectivity. It is significant that carbon monoxide appeared only above 600 K and its selectivity has not exceeded 3% in the higher temperature range. No methane has been detected. Hydrogen yield was relatively stable in the temperature range from 513 to 873 K. Similarly, in the presence of Cu/Al oxides neither CO nor CH<sub>4</sub> were found in the products. The correlation between activity of examined catalysts and textural properties was not found.

## Metryczka

<b>Published by:</b>	Marek Tańczyk
<b>Published at:</b>	11.05.2026 10:34
<b>Number of views:</b>	8