

# Instytut Inżynierii Chemicznej

Adres artykułu: <https://iich.gliwice.pl/pl/artykul/copper-tricomponent-catalysts-application-for-hydrogen-production-from-ethanol>

## Copper Tricomponent Catalysts Application for Hydrogen Production from Ethanol

<b>Data publikacji:</b>	30.04.2021
<b>Tytuł publikacji:</b>	<a href="https://iich.gliwice.pl/pl/artykul/copper-tricomponent-catalysts-application-for-hydrogen-production-from-ethanol">Copper Tricomponent Catalysts Application for Hydrogen Production from Ethanol</a>
<b>Autorzy:</b>	<a href="#">Maria Kulawska</a> , <a href="#">Łukasz Hamryszak</a> , <a href="#">et al.</a>
<b>Informacje o czasopiśmie:</b>	<a href="#">Catalysts</a>

The application of copper-based catalysts in the production of pure hydrogen in the steam reforming of ethanol was performed. The tricomponent Cu/Zr catalysts with about 4 mass% addition of nickel, cobalt, or cerium have been prepared in our laboratory. The properties of obtained catalysts were compared with bimetallic Cu/Zr catalyst prepared and tested according to the same procedure. Catalytic tests were carried out in the continuous flow fixed-bed reactor in the wide temperature range of 433–593 K for initial molar ratio of ethanol to water equal to 1:3. Catalysts were characterized by XRD, TPR, CO<sub>2</sub>-TPD, and TPO methods. Cu/Zr/Ce catalyst proved to be the best; hydrogen yield reached the value of 400 L/(kgcat.·h), selectivity towards carbon monoxide was below 0.5% and the one towards methane was not detected. Additions of Ni or Co did not bring significant improvement in activity.

## Metryczka

<b>Opublikował w BIP:</b>	Marek Tańczyk
<b>Data opublikowania:</b>	08.05.2026 15:13
<b>Liczba wyświetleń:</b>	7